

RISK INFORMATION: Do not exceed recommended dosage or take for more than 7 days except on the advice of a health care practitioner. Consult a health care practitioner prior to use if you have heart or thyroid disease, high blood pressure, diabetes, glaucoma, difficulty in urination due to an enlargement of the prostate gland or if you are taking any prescription drugs. Do not take if you are currently taking or have recently taken Monoamine Oxidase (MAO) inhibitor drugs. **DO NOT USE IF SAFETY SEAL IS BROKEN OR MISSING.**

INFORMATION SUR LES RISQUES : Ne pas dépasser la posologie recommandée ni prendre le produit pendant plus de 7 jours sauf sur l'avis d'un praticien de soins de santé. Avant de prendre le produit, les personnes qui souffrent d'une cardiopathie ou d'une maladie thyroïdienne, d'hypertension, de diabète, de glaucome ou qui ont de la difficulté à uriner à cause d'une hypertrophie de la prostate ou qui prennent des médicaments de prescription doivent consulter un praticien de soins de santé. Les personnes qui prennent actuellement ou qui ont pris récemment des inhibiteurs de la monoamine-oxydase (MAO) ne doivent pas consommer le

produit. **NE PAS UTILISER SI LE SŒAU DE SÉCURITÉ EST BRISÉ OU MANQUANT.**



SYNERGENEX

EPHEDRINE HCL
Pharmaceutical grade

HCl D'ÉPHÉDRINE
Qualité pharmaceutique

NPN 80016366

50 TABLETS / COMPRIMÉS

Recommended use or purpose: For the relief of nasal congestion due to colds or hayfever.

Recommended dose: Adults: Take 1 tablet every 6-8 hours. Gradually increase dosage over several days, only if needed. Do not exceed 4 tablets daily.

Medicinal ingredients: Each tablet contains:

Ephedrine (l-Ephedrine (-HCL))8 mg

Non-medicinal ingredients: Calcium phosphate dibasic, microcrystalline cellulose, croscarmellose sodium, magnesium stearate, silicon dioxide.

Usage et fins recommandés : Soulagement de la congestion nasale due au rhume ou au rhume des foins.

Dose recommandée : Adultes : Prendre 1 comprimé toutes les 6 à 8 heures. Seulement au besoin, augmenter graduellement la dose au cours de plusieurs jours. Ne pas excéder 4 comprimés par jour.

Ingrédients médicinaux : Chaque comprimé contient :

Éphédrine (l-Éphédrine (-HCL))8 mg

Ingrédients non médicinaux : Phosphate de calcium, dibasique, cellulose microcristalline, croscarmellose de sodium, stéarate de magnésium, dioxyde de silicium.

Manufactured in Canada for distribution by:

Fabriqué au Canada pour la distribution par:

True North Nutrition Ltd.
Richmond Hill, ON L4B 4A8