TORCH FAT FAST*

ACTIVATE FAT BURNING AND SUPPORT WATER LOSS FAST WHILE EXPERIENCING INTENSE ENERGY AND LASTING ENDURANCE. **









FOR BEST RESULTS



HOW TO TAKE

MIX1SCOOP IN 4-6oz OF WATER



WHEN TO TAKE

MORNING, PREWORKOUT OR ANYTIME.

ASSESS TOLERANCE BEFORE USE. DO NOT COMBINE WITH OTHER CAFFEINE CONTAINING PRODUCTS & AVOID CONSUMING 4 HOURS BEFORE BEDTIME.



WATCH VIDEO SCAN TO LEARN MORE

[†]These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.





40 SERVINGS

BOOSTS METABOLISM^T

ENHANCES FOCUS & CLARITY

REDUCES WATER BLOAT **ENERGIZING FAT BURNER**^{+*}



DIETARY SUPPLEMENT Net Wt. 8.04 oz (228g)





Serving Size: 1 Scoop (5.7g) Servings Per Container: 40

ARNITINE

ELION

200mg

Amount Per Serv.		%DV
Choline (as Choline Bitartrate)	305mg	55%
Acetyl L-Carnitine HCL	1000mg	**
Green Tea (leaf) Extract	500mg	**
Dandelion (root) Extract	200mg	**
Caffeine Anhydrous	150mg	**
Di-Caffeine Malate	150mg	**
(Providing 110mg of caffeine)		
Juniper (Juniperus communis)	150mg	**
(fruit) Extract		
Theobromine	50mg	**
**Daily Value (DV) not established.		

Other Ingredients: Citric Acid, Natural and Artificial Flavor, Malic Acid, Silicon Dioxide, Calcium Silicate, Sucralose, Acesulfame Potassium.

DISTRIBUTED BY: REDCON1, LLC 701 PARK OF COMMERCE BLVD. BOCA RATON, FL 33487 TEL: 1(855) 733-2661

WARNING: This product is intended to be consumed by healthy adults 18 years of age or older. This product contains 260mg of Caffeine per serving. Do not use if you are pregnant, nursing, sensitive to caffeine or other stimulants, taking any prescription or over-the-counter medications or supplements, or if you have or suspect you may have a medical condition, including but not limited to: high or low blood pressure, cardiac arrhythmia, stroke, heart, liver or kidney disease, seizure disorder, thyroid disease psychiatric disease, diabetes, prostate enlargement or if you are taking a MAO Inhibitor. Do not use if you are prone to dehydration or exposed to excessive heat. As with any dietary supplement, consult a healthcare professional before using this product. Discontinue 2 weeks prior to surgery. Immediately discontinue use and consult a healthcare professional if you experience any adverse reactions. KEEP OUT OF REACH OF CHILDREN.

Store at 59-86°F (15-30°C). Protect from light and moisture. Product does not completely fill container. Settling occurs in shipping.

*When combined with a reduced calorie diet and regular exercise.